

	L #	Hits	Search Text	DBs	Time Stamp
1	L1	(2) ✓	("6936299").PN. <i>from inventor Name Search</i>	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/05/02 13:56
2	L2	(13) ✓ <i>cited in Copending cases</i>	((("6541964") or ("5793206") or ("6534975") or ("20010009368") or ("6051972") or ("5793206") or ("5140264") or ("5028100")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/05/02 14:11
3	L3	9416	((427/8,9,10,142,404,405,419. 2,524) or (204/192.15,192.6)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/05/02 15:04
4	L4	51393	Eddy adj current	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2007/05/02 15:05
5	L5	142	L4 with (thick\$7 depth height microns micrometer ".mu." ".mu.m") with (oxide oxidat\$5 oxidiz\$7 corrod\$5 corrosion sulfidiz\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2007/05/02 15:10
6	L6	316	L4 same ((thick\$7 depth height microns micrometer ".mu." ".mu.m") with (oxide oxidat\$5 oxidiz\$7 corrod\$5 corrosion sulfidiz\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2007/05/02 15:09
7	L7	3517	L4 with (turbine rotor blade vane superalloy carbide near2 alloy)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2007/05/02 15:11

10/661,190

	L #	Hits	Search Text	DBs	Time Stamp
8	L8	5223	L4 same (turbine rotor blade vane superalloy carbide near alloy)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2007/05/02 15:12
9	L9	3	L5 same L7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2007/05/02 15:13
10	L10	12	(L5 and L7) not L9 <i>contains this case's pre-pub.</i>	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2007/05/02 15:12
11	L11	1	(L5 same L8) not (L9 or L10)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2007/05/02 15:14
12	L12	4	(L6 same L7) not (L9 or L10 or L11)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2007/05/02 15:15
13	L13	5	(L6 same L8) not (L9 or L10 or L11 or L12)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2007/05/02 15:15
14	L14	10	(L6 and L8) not (L9 or L10 or L11 or L12 or L13) <i>includes OEM priority doc</i>	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2007/05/02 15:17

	L #	Hits	Search Text	DBs	Time Stamp
15	L15	6 ✓	((L5 or L7) and L3) not (L9 or L10 or L11 or L12 or L13 or L14)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2007/05/02 16:26
16	L16	2 ✓	((L6 or L8) and L3) not (L9 or L10 or L11 or L12 or L13 or L14 or L15)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2007/05/02 16:40
17	L18	6 ✓	(L5 and (turbine rotor blade vane superalloy carbide near2 alloy)) not (L9 or L10 or L11 or L12 or L13 or L14 or L15 or L16)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2007/05/02 16:43
18	L19	24 ✓	(L6 and (turbine rotor blade vane superalloy carbide near2 alloy)) not (L9 or L10 or L11 or L12 or L13 or L14 or L15 or L16 or L18)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2007/05/02 16:43

includes
(#23) EPO
process doc

✓
L20 (6) (L6 same (cast casting mold molding)) not (or L19)